

Smarter Working Made Simple



Born to be Extraordinary.

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds in developing document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.



With the TASKalfa 7054ci series you get:

User-friendly interface

Tablet-like functionality makes life easier. No more frustration at the printer!

Fast print and scan speeds

Get the documents you want when you need them and watch your productivity soar.

Smart and scalable solutions

Get your team working as one with solutions that help workflows run smoothly and efficiently.

Devices you can rely on

Kyocera devices are built to last the test of time. Get ready to say goodbye to costly downtime!

Optimal security

With in-depth security capabilities, you can be rest assured that your confidential data is safe with Kyocera.

Outstanding Image Quality

The TASKalfa 7054ci series gives you incredible image quality and outstanding colors with high resolution and superior image processing.



Delivers realistic image with high resolution

Provides printing resolution of 1,200dpi. You will enjoy sharp, detailed print results even in fine lines and small characters, giving your image a bright and vivid impression along with the realistic texture.

Impressive quality even for repeated copies

Reduces the color difference with accurate color matching when digital copying, and also avoids quality degradation during repeated photocopying.

Stable print quality



Keeps the stability of color performance, no matter for the 1st page or the 1,000th or more.

Beautiful contrast



Provides a better contrast with incredible deep blacks.

High gloss



Performs a glossy finishing on images.

Artificial Intelligence

Incorporating the latest technology, the devices provide a solution that will drive productivity by helping companies work smarter to produce higher quality results in less time than ever before.


With our latest AI technology, the TASKalfa 7054ci series enables users to emphasize or overwrite the handwritten parts of a document without changing the format or image when scanning. Moreover, users can now avail of the AI-powered Super Resolution function which helps breathe new life and enhanced quality into low-resolution photos and logo images.



Future-proof your business!

New Handwriting tool

The enhancement handwriting tool creates major advances in the user experience, making it easier to add better emphasis or highlight handwritten notes on a document, or to remove them altogether. The implications of this include: time saved, reduced waste (no need to reprint documents), and a greater capacity to share information. This could be especially useful in education, where scanning documents and note-taking are inevitable. Physical copies of documents can be shared, distributed, and written on, all while saving a lot of time and printing costs.



Detect and change handwriting color

Super Resolution feature

With the new AI functionalities, there's no need to invest extra time and effort to improve low resolution images. The KX printer driver supports the 'Super Resolution' function that compares information from images that already exist online, identifying and converting low-resolution images to higher resolution, creating slick, professional looking output. Pixelated images are smoothed to create more attractive and neater documents and visuals, ultimately this results in a better looking product that communicates more effectively, particularly beneficial for marketing materials where there are major demands for high-quality production.





Redefining Usability

Less confusion means less errors. With the TASKalfa 7054ci, you get a user interface that minimizes confusion and maximizes your capabilities, so that you can allocate more time to your other business operations.

Equipped with a **10.1-inch resistive display**, the new series boasts an **intuitive and easy-to-use, full-color touch panel**, while offering fast and simple access to a wide range of document management functions including HyPAS applications. Meanwhile, hardware keys are minimized, and users can enjoy a seamless transition between the user interfaces while using the **tablet-like display**.

The TASKalfa 7054ci combines a **simple**, **slick and fresh design with gesture-based operations**. With a clear emphasis on important information and easy to understand icons, users can enjoy a hassle-free printing experience.

Fewer pains. More gains.

Meet the new interface

With standard colors and intuitive icons, carrying out tasks at the printer has never been easier.



Simple

Standardized icons and graphics makes it easy to navigate the interface.



Intuitive

Emphasize important information and use gestures to select target items.



Efficient

Work quicker with less steps along with quick-switch settings.



Productivity You Can Rely On

To drive your productivity, two key areas must be addressed: Optimized printer performance and downtime. **The TASKalfa 7054ci series does both.** With the high print speed and Kyocera's reputation of highly reliable products, the TASKalfa 7054ci series delivers exceptional quality without the wait.

Re-energize the way you work.



Prevention > Cure

Seamless scan to folder set up, easy tilted documents correction, and staple detection ensures your team can continue to work at full velocity.



Performance Upgrades

Compared to its predecessor, the TASKalfa 3554ci offers close to a 10% increase in print speeds (35 ppm) while paper capacity has been boosted by 18.5% to 320 sheets.



Enhanced Fault Isolation Function

When a failure occurs in the MFP, only functions related to the failure are disabled, meaning other functions can be used after restarting, thus reducing user downtime.




Multi Cropping

Quickly and efficiently scan multiple receipts or business cards to digitize the data at once. Users can subsequently save each document separately in the relevant folder.

Enhanced Function for Scanning, Printing and Copying

In addition to high-speed printing, the Taskalfa 7054ci series boosts your productivity with a variety of output styles. Booklet binding, Z-folding, stapling, punching, etc. can be processed automatically by using a Z-Fold Unit or Inserter with Finisher.



Multiple cropping

This can make multiple receipts or business cards to digital data efficiently by scanning simultaneously, and saving them as individual files.



Scan up to 16 sheets at once



Autosave by page or file

Tilt correction

When scanning thick documents with a two-page spread such as books on the platen with open DP or Platen cover, it will auto detect and correct tilted page.



Auto detect tilt when scanning



Tilt correction

Set up of "Scan to Folder"

To send images scanned by the MFP to a folder on the PC via SMB, it is necessary to make complicated settings on the MFP and PC. Using this tool, you can easily set folder sharing settings and register in the MFP's address book by following the wizard, and setup can be completed smoothly.



Multi inserter

You can add two types of paper as cover paper or insert paper. In addition, by combining options such as saddle stitch, inner Tri-fold, and inner fold, you can perform a variety of post-processing that increases the value of printed materials. This makes it possible to create a wide variety of booklets with covers and simple catalogs.





Protect Your Business Against

New Security Threats

Cyberthreats soar during periods of disruption. Today is no different.

Are you happy to leave the fate of your valuable documents and data to chance? With the TASKalfa 7054ci series, you don't have to run the risk.

The TASKalfa 7054ci series provide enhanced device and document security that address not only today's challenges, but the challenges of tomorrow as well. Security starts from the ground up and Kyocera ensures your data; your device and your network are always protected.

The following are just some of the standout security features of the TASKalfa 7054ci series:



Secure/Multipurpose Internet Mail Extensions (S/MIME)

Improves the security of email encryption by providing security for authentication, message integrity, the use of digital signatures and privacy and data security.

Simple Certificate Enrollment Protocol (SCEP)

Automatically ensures that the device has the latest security certificates and makes the issuing of digital certificates as effortless as possible.

Online Certificate Status Protocol/Certificate Revocation (OCSP/CRL)

Provides settings that can verify the validity of the certificates used in encrypted communications.

Security Information and Event Management (SIEM)

Provides the ability to log security events that help monitor potential unauthorized operations like malware, intrusions and information leakage.

TLS version 1.3 support

A faster, safer and more secure method of cryptography that encrypts data by providing secure communication between web browsers and servers.

Kyocera has been accredited with ISO 27001 certification, recognizing its commitment to the highest standards of information security management across the business.

Environment

At Kyocera, we are committed to doing the right thing as a human being. We work hand in hand with our customers and partners so that they get the solutions they need while we collectively reduce our overall carbon footprint. The new TASKalfa 7054ci series marks another important step in this strategy.

Equipped with ARM A53 (Quad Core) 1.6GHz CPU's to improve overall performance, energy consumption during sleep mode has been significantly reduced from 0.7W to 0.4-0.5W for both devices. Not only does this help boost your eco-credentials, you also save on your energy bills!

Use of eco-friendly toner originally developed by Kyocera

The use of nano-particle structure micro toner reduces the burden on the environment. Our exclusive formula does not include use of organic solvents, but only requires a very small amount of water during the production. The toner can be attached to the paper at low temperature, reducing the power consumption during printing.



Reusing emptied toner cartridges

The emptied black toner cartridge can be used as a container for wasted toner, which does not only reduces the generation of waste but also reduces the costs while saving resources.

Minimize standby power consumption

Reducing standby power consumption for printers and multifunction devices in offices is also one of the important environmental issue. Our exclusive power-saving controller minimizes the standby power in sleep mode without compromising your business operation and productivity.



TEC reduction

Equipped with an advanced energy-saving controller, the power consumption during sleep mode is able to be controlled at about 0.4W-0.5W.

Work more efficiently while reducing your carbon footprint.



				Main Specificat							
Model Main Function			TASKalfa 2554ci	TASKalfa 3554ci	TASKalfa 4054ci Copy, Print, Sca	TASKalfa 5054ci n, Fax (Optional)	TASKalfa 6054ci	TASKalfa 7054ci			
Writing Method						ictor Laser					
СРИ					T	3 1.6GHz					
Print Speed (A4) (Mono/Color)			25/25 ppm	35/35 ppm	40/40 ppm	50/50 ppm	60/60 ppm	70/70 ppm			
Scanning Speed (A4) 300dpi	DP-7140	Simplex Duplex		ipm	-		=				
		Simplex	10	трт	80	pm					
Scanning Speed (A4) 300dpi	DP-7150	Duplex	80 ipm 48 ipm								
Scanning Speed (A4) 300dpi Dual Scan	DP-7160	Simplex	100 ipm 137 ipm								
Scanning Speed (A4) 300dpi Dual Scan DP-7160 Duplex			200 ipm 274 ipm								
Scanning Speed (A4) 300dpi Dual	DP-7170	Simplex	100 ipm 137 ipm								
Scan with Duplex Feed Detection DP Duplex Memory			200 ipm 274 ipm Standard 4GB (Max. 4GB)								
SSD/HDD Capacity			SSD 32GB (Standard) / HE	OD 320GB or 1TB (Optional)	Standard 40		DD 320GB or 1TB (Optional)				
Stable Time (From the mainpower ON)			18 seconds 17 seconds 26 seconds								
	Standard		2 x 500 sheets (Cassette) + 150 sheets (MPT) (A4 / Letter size or less equivalent to 80 g/m2)								
Paper Capacity			2 x 600 sheets (Cassette) + 165 sheets (MPT) (A4 / Letter size or less equivalent to 64 g/m2)								
	Maximum Cassette		7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7150 x1 + 3,000 sheets PF-7120 x1 + MPT) Min. A6R - Max. SRA3(320mm x 450mm); Cassette 1 Min. A6R - Max. A4R (Legal)								
Paper Size	MPT		Min. Aok - Max. SRA3(320mm x 450mm); Cassette 1 Min. Aok - Max. A4k (Legai) Min. AoR - Max. SRA3(320mm x 450mm) & Banner Print (1,220mm x 304.8mm)								
	Cassette		52~300g/m2								
Paper Weight	MPT				52~300g/m2 ; Banne	r paper 136~163g/m2					
Duplex Printing			Paper size: Min. A6R - Max. SRA3(320mm x 450mm) ; Paper weight: 60-256g/m2								
Output Capacity				k. 500 sheets + 100 sheets fac							
Control Panel Dimension (W x D x H) (Main Unit)			10.1 inch resist	tive touch panel		10.1inch Capaci mm x 790mm	tance touch panel				
Dimension (W x D x H) (Main Unit) Weight (Main Unit)			Annro	ox. 90 kg	602mm x 665		ox. 95 kg				
J. (Copy/Print	t Mode	450W	590W	660W	780W	990W	1,140W			
Power Consumption (Standard configuration)	Stand-by N			0W			5W				
(Standard configuration)	Energy Sav	ver			0.	5W					
	Copy/Print	t Mode	66dB/67dB	68dB/69dB	70dB/70dB	71dB/71dB	73dB/73dB	74dB/74dB			
Noise (ISO7779/ ISO9296)	(Mono/Col							1			
	Stand-by N	Mode	35dB Copy Functions (Standard)								
Copy Size						in. A6R (StatementR)					
Resolution				Sca	anning: 600 x 600 dpi ; Writin		ralue				
irst Copy Time (Mono/Color)			6.4/8.5 seconds 5.3/7.0 seconds 4.5/5.9 seconds 3.7/4.8 seconds 3.4/4.4 seconds								
Zoom Ratio	Manual		25% - 400% (1% per Step) 1 - 9,999								
Multiple Copy											
No. of the Control of						ns (Standard)					
Resolution PDL & Emulation				DDESCRIBE DOLG (DOL-VI		quivalent x 1,200 dpi level	S DDE Direct Print Ver 2.0				
PDL & Emulation First Print Out Time (Mono/Color)		PRESCRIBE, PCL6 (PCL-XL, PCL 5c), KPDL3 (Postscript 3 compatible), XPS, OpenXPS, PDF Direct Print Ver. 2.0 7.0/9.2 seconds 5.9/7.7 seconds 5.1/6.5 seconds 4.3/5.4 seconds 3.8/5.1 seconds 3.7/5.0 seconds									
Supported Protocol			TCP/IP(IPv4/IPv6), Bonjour								
			Windows 8.1/10, Windows Server 2012/2012 R2/2016/2019,								
Operating System Supported						Google Chrome OS					
Interface				Ethernet (1000Base-T/1	100Base-TX/10Base-T)x1, US		USB Host)x4, NFC TAGx1				
						ns (Standard)					
Original size					Table: Max. DP: Max. A3 (Ledger) - N	A3 (Ledger) Iin. A6R (DP-7140 is A5R)					
			Banner: Max. 1,900mm								
Resolution			600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi, 200 x 100 dpi, 200 x 400 dpi								
File Format			TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A-2, Encrypted PDF,								
Image Type Mode			Searchable PDF (Optional), MS Office file(Optional)								
			Text, Photo, Text + Photo, Text (Fine Line)								
Send Method			SMB (Version 3.0), SMTP, FTP, FTPoverSSL, USB, TWAIN Source (Network), WIA Driver (Network), DFS, DSM								
Address Storage			2,000 addresses (Common address list), 500 groups (Group address list)								
			Fax Functions (Optional) Max. A3 (Ledger) - Min. A6R (StatementR), Banner: 1,600mm								
Original Size											
Coding Method			MMR, MR, MH, JBIG								
Transmission Speed Transmission Time			33.6 kpbs Less than 3 sec. (With JBIG)								
Memory						MB					
					Consumabl	es & Options					
			TK-8360 (C/M/Y):	TK-8370 (C/M/Y):	TK-8540 (C/M/Y):						
Toner Kit			12,000 pages TK-8360 (K):	20,000 pages TK-8370 (K):	20,000 pages TK-8540 (K):		TK-8550 (C/M/Y): 24,000 pa TK-8550 (K): 40,000 page	ges s			
			25,000 pages	30,000 pages	30,000 pages		111 0350 (11). 10,000 page	-			
Maintenance Kit			MK-8335 (A/B)): 200,000 pages): 600,000 pages	MK-8535 (A/B): 600,000 pages			MK-8545 (A), MK-8535 600,000 pages			
		WII. (0343 (D/E)	, 50,000 pages				Jou, out pages				
Waste Toner Bottle					WT-	8500					
Document Processor			DP-7150: 140 sheets F	RADF Type; DP-7140: 50 sheet	ts RADF Type (TASKalfa 2554 leets One-path Duplex Scani			n Duplex Scanning Type;			
Paper Feeder			25	DP-/1/0: 320 sh 7-7140: 500 sheets x 2; PF-715				atter)			
aper reeder			PF					eccel j			
			DF-7100: Inner Finisher *No support for 70ppm; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7140: 4,000 sheets Finisher with 65 sheets Staple; DF-7150: 4,000 sheets Finisher with 100 sheets Staple; PH-7C: Punch Unit for DF-7120/DF-7140/DF-7150; PH-7120: Punch Unit for DF-7100; MT-730(B): 7 Bin Mailbox for DF-7140; JF-7110: Inner Job Separator;								
Finisher			PH-7C: Punch Uni IS-71	it for DF-7120/DF-7140/DF-71 100**: Inserter Unit; ZF-7100	50; PH-7120: Punch Unit for I **: Z Folding Unit; BF-730: B	F-7100; MT-730(B): 7 Bin Ma ooklet Folder for DF-7140; B	ailbox for DF-7140; JS-7110: I F-9100: Booklet Folder for D	inner Job Separator; 0F-7150;			
				SH-10: Staple for DF-71	00/DF-7120/BF-730/BF-9100	SH-12: Staple for DF-7140; S	H-14: Staple for DF-7150				
Fax System					Fax Sy	item 12					
Internet FAX			Internet FAX Kit(A)								
	Card Authentication			Card Authentication Kit(B)							
						50	fautada				
Sigabit Ethernet Board					uti-hand support) / IR-38 (W	-Fi 2.4 GHz capable) *IB-38	ror Indonesia, Bangladesh	oniy			
Sigabit Ethernet Board Vireless LAN Interface			- 11	B-37 (WI-FI 2.4 GHz/5 GHz mu		1 LID 10, LIDD 177					
Sigabit Ethernet Board Wireless LAN Interface Storage Device			11	B-37 (Wi-Fi 2.4 GHz/5 GHz mt	HD-15: HDD 320G	B, HD-16: HDD 1TB					
Gigabit Ethernet Board Wireless LAN Interface Storage Device Embedded OCR				B-37 (WI-FI 2.4 GHz/5 GHz mt	HD-15: HDD 320G Scan Exter	B, HD-16: HDD 1TB sion Kit(A) Guide 10					
Card Authentication Gigabit Ethernet Board Wireless LAN Interface Storage Device Embedded OCR Banner Paper Tray Numeric Key Pad				B-37 (Wi-Fi 2.4 GHz/5 GHz mt	HD-15: HDD 320G Scan Exter Banner	sion Kit(A)					
Gigabit Ethernet Board Wireless LAN Interface Storage Device Embedded OCR Banner Paper Tray				B-37 (Wi-Fi 2.4 GHz/5 GHz mi	HD-15: HDD 320G Scan Exter Banner	usion Kit(A) Guide 10 7120					

			Main Specifications							
Model			TASKalfa 5004i	TASKalfa 6004i	TASKalfa 7004i					
Main Function			Copy, Print, Scan, Fax (Optional)							
Writing Method				Semiconductor Laser						
CPU			50	ARM A53 1.6GHz	70					
Print Speed (A4)		Simplex	50 ppm	60 ppm 80 ipm	70 ppm					
Scanning Speed (A4) 300dpi	DP-7150	Duplex		48 ipm						
	DP-7160 Simplex		137 ipm							
Scanning Speed (A4) 300dpi Dual Scan	DP-7100	Duplex	274 ipm							
Scanning Speed (A4) 300dpi Dual Scan with Duplex Feed Detection DP	DP-7170	Simplex		137 ipm						
		Duplex		274 ipm						
Memory SSD/HDD Capacity			Standard 4GB (Max. 4GB) SSD 64GB (Standard) / HDD 320GB or 1TB (Optional)							
Stable Time (From the mainpower ON)			17 seconds							
	Standard		2 x 500 sheets (Cassette) + 150 sheets (MPT) (A4 / Letter size or less equivalent to 80 g/m2)							
Paper Capacity	Maximum		2 x 600 sheets (Cassette) + 165 sheets (MPT) (A4 / Letter size or less equivalent to 64 g/m2) 7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7150 x1 + 3,000 sheets PF-7120 x1 + MPT)							
	Cassette		Min. A6R - Max. SRA3(320mm x 450mm); Cassette 1 Min. A6R - Max. A4R (Legal)							
Paper Size	MPT		Min. A6R - Max. SRA3(320mm x 450mm) & Banner Print (1,220mm x 304.8mm)							
Paper Weight	Cassette			52-300g/m2						
MPT				52~300g/m2 ; Banner paper 136~163g/m2						
Duplex Printing				5R - Max. SRA3(320mm x 450mm) ; Paper w						
Output Capacity Control Band			Max. 500 s	heets + 100 sheets face-down with Inner Jo 10.1inch Capacitance touch panel	u separator					
Control Panel Dimension (W x D x H) (Main Unit)				602mm x 665mm x 790mm						
Weight (Main Unit)				Approx. 83 kg						
Power Concurration	Copy/Print		660W	770W	805W					
Power Consumption (Standard configuration)	Stand-by N			40W						
	Energy Sav Copy/Print		71dB	0.4W 73dB	74dB					
Noise (ISO7779/ ISO9296)	Stand-by N		7108	35dB	/408					
	Stand-by Mode			Copy Functions (Standard)						
Copy Size	Copy Size			Maximum A3 (Ledger) - Minimum A6R (StatementR)						
Resolution			Scanning: 600 x 600 dpi ; Writing: 1200 x 1200 dpi multiple value							
First Copy Time			3.7 seconds 3.4 seconds							
Zoom Ratio Multiple Copy	Manual		25% - 400% (1% per Step) 1 - 9,999							
жинирие сору			Print Functions (Standard)							
Resolution			1,200 x 1,200 dpi ; 4,800 equivalent x 1,200 dpi level							
PDL & Emulation			PRESCRIBE, PCL6 (PCL-XL, PCL 5	e), KPDL3 (Postscript 3 compatible), XPS, O	penXPS, PDF Direct Print Ver. 2.0					
First Print Out Time			4.3 seconds	3.8 seconds	3.7 seconds					
Supported Protocol			TCP/IP(IPv4/IPv6), Bonjour							
Operating System Supported Interface			Windows 8.1/10, Windows Server 2012/2012 R2/2016/2019, Mac OS X(10.9~), Google Chrome OS							
			Ethernet (1000Base-T/100Base-TX/10Base-T)x1, USB 3.0x1, USB Host Interface (USB Host)x4, NFC TAGx1							
				Scan Functions (Standard)						
Original Size			Table: Max. A3 (Ledger) DP: Max. A3 (Ledger) - Min. A6R (DP-7140 is A5R)							
Original Size			DP: Max. A3 (Ledger) - Min. A6K (DP-/140 is A5K) Banner: Max. 1,900mm							
Resolution			600 x 600 dpi, 400 x	400 dpi, 300 x 300 dpi, 200 x 200 dpi, 200 x	100 dpi, 200 x 400 dpi					
File Format			TIFF, JPEG, XPS, OpenXPS, PDF Sea	(MMR/JPG compression/High-compression rchable PDF (Optional), MS Office file(Opti	n PDF), PDF/A-2, Encrypted PDF, onal)					
Image Type Mode			Text, Photo, Text + Photo, Text (Fine Line)							
			SMB (Version 3.0), SMTP, FTP, FTP overSSL, USB,							
Send Method			TWAIN	Source (Network), WIA Driver (Network), E	DFS, DSM					
Address Storage			2,000 addresses (Common address list), 500 groups (Group address list)							
Original Size			Fax Functions (Optional) Max. A3 (Ledger) - Min. A6R (StatementR), Banner: 1,600mm							
Coding Method			Max. A3 (Ledger) - Min. A6K (Statementk), Banner: 1,600mm MMR, MR, MH, JBIG							
Transmission Speed			33.6 kpbs							
Transmission Time			Less than 3 sec. (With JBIG)							
Memory				170MB						
Toner Kit				Consumables & Options TK-6340: 40,000 pages						
Maintenance Kit			тк-6340: 40,000 pages MK-6345: 600,000 pages							
Waste Toner Bottle			WT-8500							
Document Processor			DP-7150: 140 sheets RADF Type; DP-7160: 320 sheets One-path Duplex Scanning Type;							
Paper Feeder			DP-7170: 320 sheets One-path Duplex Scanning Type with double paper feeding detector PF-7140: 500 sheets x 2; PF-7150: 1,500 sheets x 2 (A4/Letter); PF-7120: 3,000 sheets Large capacity side deck (A4/Letter)							
Paper Feeder Finisher			PF-7 (40: 500 sneets X.2; PF-7150*; I,500 sneets X.2 (A4] Letter); PF-7120*; 3,000 sneets Large capacity side deck (A4] Letter) DF-7100: Inner Finisher *No support for 70ppm; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7140: 4,000 sheets Finisher with 65 sheets Staple; DF-7150: 4,000 sheets Finisher with 100 sheets Staple; PH-7C: Punch Unit for DF-7120/DF-7140/DF-7150; PH-7120: Punch Unit for DF-7100; MT-730(B): 7 Bin Mailbox for DF-7140; ST-7110: Inner Job Separator; IS-7100**: Inserter Unit;							
Fax System			M1-7-30(B): / Bin Mailbox for D+-740; Js-710: Inner Job Separator; Is-7100***: Finserter Unit; ZF-7100***: Z folding Unit: BF-730: Booklet Folder for DF-7140; BF-9100: Sooklet Folder for DF-7150; SH-10: Staple for DF-7100/DF-7120/BF-730/BF-9100; SH-12: Staple for DF-7140; SH-14: Staple for DF-7150 Fax System 12							
Internet FAX			Internet FAX Kit(A)							
Card Authentication				Card Authentication Kit(B)						
Gigabit Ethernet Board				IB-50						
Wireless LAN Interface Storage Device			IB-37 (Wi-Fi 2.4 GHz/5 GHz multi-band support) / IB-38 (Wi-Fi 2.4 GHz capable) *IB-38 for Indonesia, Bangladesh only							
Storage Device Embedded OCR			HD-15: HDD 320GB, HD-16: HDD 1TB Scan Extension Kit(A)							
Banner Paper Tray			Scan Extension Kit(A) Banner Guide 10							
Numeric Key Pad				NK-7120						
Original Tray			DT-730 (B)							
Original Tray Keyboard Holder				Keyboard Holder 10						

^{**}for Color/Mono 60ppm/70ppm only, support for DF-7140/7150 (AK-7110 is required to connect), AK-7120 is required to add Z-Fold Unit in order to connect with Finisher.

Kyocera Document Solutions has championed innovative technology since 1934. We enable our customers to turn information into knowledge, excel at learning and surpass others. With professional expertise and a culture of empathetic partnership, we help organizations put knowledge to work to drive change.

KYOCERA Business Partner



EDIFY PRINTECH INDIA LLP Sector-106,Dwarka Expressway,Gurgaon-122006 marketing@edifyin.com +919211437600/ +919650774529 www.edifyin.com

KYOCERA Document Solutions India Private Limited

First Floor, Block - A, First India Place, Sushant Lok Phase - 1, M. G. Road, Gurugram - 122002 (Haryana), India



www. ky ocera document solutions. co. in