




Document Solutions

> PRINT

ECOSYS P6230cdn  
ECOSYS P6235cdn  
ECOSYS P7240cdn

COLOR PRINTER  
FOR A4 FORMAT

# HIGH SPEED, COLORFUL PRINTING



- Quick A4 print up to 40 ppm (Mono/Color)\* with 1,200 x 1,200 dpi print resolution.
- Fast first print out time: 5.5 sec (mono) / 6.5 sec (Color).\*
- Support high print volume with paper capacity up to 2,100 sheets\*\*.
- Standard duplex unit for double-sided printing and direct printing from USB.
- Support Google Cloud Print, AirPrint and Mopria certified.
- Standard 1 GB RAM to meet heavy-duty tasks without additional memory required.
- Exceptionally low printing costs in its class.

\* ECOSYS P7240cdn

\*\* With Optional PF-5100 x 3



# Born to be Extraordinary

## KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a “Customer First” principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between “Economy” and “Ecology”, KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

## Remarkable Output

Thanks to KYOCERA long-life, energy-saving components, these printers can achieve low total cost of ownership. They are extremely reliable with sharp output that most busy enterprises require.

**Aesthetic Design**  
Won “Good Design Award”

**GOOD DESIGN**

**Speedy A4 print**  
Up to 40 ppm##

**PF-5100 Paper Feeder (Optional)**  
Support ‘Envelope Printing from Paper Feeder’ function

**Visualizable Paper Output**  
Blackish blue trays

**Easy Input#**  
5-Line LCD and Numeric keys for easy password entering

**Priority Mode**  
Automatic Multi-Purpose Tray priority printing when paper is there

**Multi-Purpose Tray x 1; Standard Paper Feeder x 1; PF-5100 Paper Feeder x 3 (Optional)**  
Handle up to 2,100 sheets print volume

#ECOSYS P6235cdn, ECOSYS P7240cdn  
##ECOSYS P7240cdn


# Impressive Performance

- Smooth envelope printing with 'Auto Envelope Mode'.



- Support Job retention with SD card / SSD storage device (Optional).
- Ready to use with pre-installed initial toner.

- Direct print from USB memory.



- Auto duplex as standard.
- Superior image quality 1,200 x 1,200 dpi print resolution.



# Enhanced Security

- **Authentication management** among departments via IC Card.
- Sophisticated network security (**SSL, IPsec**) as standard and prevent improper access.
- **Private Print** enables secure print jobs with preset password# request at the device.
- Standard built-in Kensington Security Slot for burglar-proof of the device.



#ECOSYS P6235cdn, ECOSYS P7240cdn

# Go Green

- Low energy consumption
- Free of Hazardous material  
Fulfilled the requirements of **RoHS** (Restriction of Hazardous Substances) & usage of **Lead-Free Parts**.
- Reduce wastage by **Long Life Consumables and Drums**.
- Reduce noise by **Quiet Mode**.



# Leading-edge Business Applications

By combining the innovative Business Applications, these printers can manage documents in an effective approach.

- **KYOCERA MyPanel**  
Remote control designated KYOCERA printing devices by smartphone or tablet.
- **AirPrint**  
Print documents, photographs, images, etc. directly from iOS devices/Mac.
- **KYOCERA Mobile Print**  
Conveniently print files, web pages and images using smartphone or tablet.
- **KYOCERA Fleet Services** (Optional)  
Maintain entire fleet from the cloud.
- **KYOCERA Net Manager** (Optional)  
Control sensitive documents and reduce printing costs.
- **KYOCERA Net Device Manager**  
Optimize, track and manage network devices from local and remote locations.
- **Support WiFi Direct:**
  - o Require IB-36 Wireless LAN (Optional)
  - o Makes print via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.



		Main Specifications		
Model		ECOSYS P6230cdn	ECOSYS P6235cdn	ECOSYS P7240cdn
Type		Desktop		
Writing Method		Semiconductor Laser		
Print Speed (A4) (Mono/Color)		30/30 ppm	35/35 ppm	40/40 ppm
First Print Out Time (Mono/Color)		6.0 sec / 7.0 sec	6.5 sec / 7.5 sec	5.5 sec / 6.5 sec
Warm Up Time		26 seconds	25 seconds	24 seconds
Resolution		600 x 600 dpi, 9600 Equivalent x 600 dpi, 1200 x 1200 dpi		
Duplex		Auto		
Control Panel		2 lines LCD Panel	5 lines LCD Panel with Numeric Key	
Power Consumption (Standard configuration)	Print Mode	466W	523W	641W
	Stand-by Mode	56W	74W	77W
	Sleep Mode		0.6W	
Noise (ISO7779/SO9296)	Print Mode	49.5dB(A)	52dB(A)	53.5dB(A)
	Stand-by Mode		30dB(A)	
Dimension (W x D x H) (Main Unit)		390mm x 532mm x 409.5mm	390mm x 532mm x 469.5mm	
Weight (Main Unit)		Approx. 28.3 kg	Approx. 29.5 kg	Approx. 31.0 kg
		Controller		
CPU		ARM Cortex-A9 Dual core 1.2GHz		
Memory		Standard 1 GB (Max. 1 GB)	Standard 1 GB (Max. 3 GB)	
Standard Interface		USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host x2		
PDL		PRESCRIBE, PCL6 (PCL5c, PCL-XL), KPD3 (Postscript 3 compatible), PDF Direct Print Ver. 1.7, XPS		
Network Printing		TCP/IP, FTP, LPR, Port9100, IPP, IPP over SSL/TLS, NetBEUI, WSD Print, Apple Bonjour		
Operating Systems		Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2; Windows 7, Windows 10; Linux		
USB Memory Printing		Standard		
USB Memory Printing Format		TIFF, JPEG, PDF, XPS		
e-mail Printing		Standard		
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print, Google Cloud Print		
		Paper Handling		
Paper Capacity	Standard	500 sheets x1 (Cassette) + 100 sheets (MPT)		
	Maximum	2,100 sheets (Main Unit + PF-5100 x3 + MPT)		
Paper Size	Cassette	Min. A6R - Max. A4 (Legal)		
	Option	Min. A5R - Max. A4 (Legal)		
	MPT	Min. A6R - Max. A4 (Legal)		
Paper Weight	Cassette	60 - 163 g/m <sup>2</sup>		
	Option	60 - 220 g/m <sup>2</sup>		
	MPT	60 - 220 g/m <sup>2</sup>		
Duplex Printing		Paper size: A5R – A4/Legal; Paper weight: 60 - 163 g/m <sup>2</sup>		
Mobile Printing		Max. 250 sheets face-down	Max. 500 sheets face-down	
		Consumables & Options		
Toner Kit (Page Yield in accordance with ISO/IEC 19798)		TK-5275K : Black (8,000 pages) TK-5275C : Cyan (6,000 pages) TK-5275M : Magenta (6,000 pages) TK-5275Y : Yellow (6,000 pages)	TK-5285K : Black (13,000 pages) TK-5285C : Cyan (11,000 pages) TK-5285M : Magenta (11,000 pages) TK-5285Y : Yellow (11,000 pages)	TK-5295K : Black (17,000 pages) TK-5295C : Cyan (13,000 pages) TK-5295M : Magenta (13,000 pages) TK-5295Y : Yellow (13,000 pages)
Capacity of Start Up Toner		Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages	Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages	Black 8,000 pages Cyan/Magenta/Yellow 6,000 pages
Maintenance Kit		MK-5144 (200,000 pages)	MK-5154 (200,000 pages)	MK-5294 (300,000 pages)
Paper Feeder		PF-5100: 500 sheets (Max. x3)		
Data Security		Data Security Kit(E)		
Card Authentication		Card Authentication Kit(B)		
Gigabit Ethernet Board		IB-50		
Wireless LAN Interface		IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)		
Storage Device		HD-6: SSD 32GB; HD-7: SSD 128GB		



Document Solutions

**KYOCERA Document Solutions India Pvt. Ltd.**

Second Floor, Centrum Plaza, Sector-53,  
Golf Course Road, Gurgaon – 122002 (Haryana), India  
Tel : +91-124-4671000 Fax: +91-124-4671001  
www.kyoceradocumentsolutions.co.in

KYOCERA Business Partner



Sector-106, Dwarka Expressway, Gurgaon-122006  
marketing@edifyin.com  
+91 9211437600  
www.edifyin.com

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

@All rights reserved. Brochure/KDAS/201810/Mebius\_Color Printer