

> PRINT > COPY > SCAN > FAX

ECOSYS M5521cdn ECOSYS M5521cdw ECOSYS M5526cdn ECOSYS M5526cdw

COLOR MULTIFUNCTION PRODUCT FOR A4 FORMAT





- Speedy A4 copy/print speed up to 26/26 cpm Mono/Color\*.
- Fast scanning speed up to 30/23 ipm Mono/Color.
- Convenient with a built-in one-path duplex scanning Document Processor\*.
- User friendly 4.3 inch color touch screen panel\*.
- Standard 512MB RAM to perform heavy duty tasks without additional memory.
- Support Apple AirPrint and Mopria certified.
- High print quality with 1,200 x 1,200 dpi printing resolution.

\*For ECOSYS M5526cdn / M5526cdw



# **Born to be Extraordinary**


# KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

### Easy of Use

These A4 color multifunctionals are specifically designed for small and medium-sized work groups that deliver outstanding print quality of 1,200dpi. All common functionalities can be quickly and easily accessed to optimize document workflow. What's more, top reliability, fast output time and support optional business applications can improve overall productivity.



<sup>\*</sup>For ECOSYS M5526cdn / M5526cdw

<sup>\*\*</sup> For ECOSYS M5521cdn / M5521cdw

### **Superior Feature**

#### COPY/PRINT

- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever paper is loaded there.
- Vivid Color quality by printing at 1,200dpi\*\*\*.
- · Direct print from USB memory.
- Save cost by using less paper.
   Print: Allow 25-in-1
   Copy: Allow 4-in-1
- · 2-sided copy/print as standard.







#### SCAN

- Support mixed size A4/Letter and Legal original in Copy/Scan.
- Skip Blank Page Function: Automatically skip blank page in copy and scan.
- Fast scanning up to 30/23 ipm in A4 Mono/Color.
- Store scanned data easily by 'Scan to FTP', 'Scan to SMB', 'Scan to Email", "Scan to USB", "Scan to DFS".

#### **FAX**

- A destination and other transmission settings can be registered as a favor to prevent sending to wrong recipient.
- · Capable of sending and receiving fax via PC with network fax function.
- · Fax broadcast up to 100 different destinations.



# **High Reliability and Security**

- Authentication management among departments via IC Card.
- · Sophisticated network security (SSL, IPsec) as standard and prevent improper access.
- Private Print enables secure print jobs with preset password request at the device (Require additional memory).



### **Save Environment**

Low energy consumption

Energy Star Ver.2.0 certified.

Power consumption is low by using the new low melting toner.

Usage of white LED illumination for lower light emissions and power consumption.

Free of Hazardous material

Fulfilled the requirements of RoHS (Restriction of Hazardous Substances) & usage of Lead-Free Parts.

- Reduce wastage by Long Life Consumables and Drums.
- Reduce noise by built-in Quiet Mode\*\*\*.



### **Workflow Optimization with Business Applications**

By combining the innovative Business Applications, these color MFPs can manage document in an effective approach.

KYOCERA MyPanel

Remote control designated KYOCERA printing devices by smartphone or tablet.



KYOCERA Mobile Print

Conveniently print files, web pages and images using smartphone or tablet.






Control sensitive documents and reduce printing costs.



AirPrint

Print documents, photographs, images, etc. directly from iOS devices/Mac.



				Main Spe	cifications			
1odel			ECOSYS M5521cdn	ECOSYS M5521cdw	ECOSYS M5526cdn	ECOSYS M5526cdw		
Main Function				Copy, Print	t, Scan, Fax			
Writing Method			Semiconductor Laser					
PU				The same and the s	MHz			
Print Speed (A4)	(Mono/Co	olor)	21/21		210.00	26 ppm		
Scanning Speed			30/23 ipm		30/23 ipm			
(Mono/Color) Duplex		200	30/23 ipin		24/16 ipm			
Memory		Duplex	Standard 512MB (Max. 1,5		STATE OF THE STATE			
Warm Up Time		-	32 seconds		29 seconds			
Paper Capacity Standard		d	250 sheets (Cassette) + 50 sheets (MPT)			Corras		
aper capacity	Maximum		550 sheets (Main Unit + 250 sheets PF-5110 + MPT)					
Paper Size	Cassette		Min. A6R – Max. A4 (Legal)					
Professional State of the Control of	MPT		Min, A6R – Max, A4 (Legal)					
Paper Weight	Cassette		60 - 163 g/m <sup>2</sup>					
MPT			60 - 220 g/m <sup>2</sup>					
Duplex Printing			Paper size: A5R - A4/Legal; Paper weight: 60 - 120 g/m <sup>2</sup>					
Output Capacity					ets face-down			
Control Panel			5 line		4.3 inch Color Touch LCD Panel			
Document Processor			Standard (Max. 50	AND ADDRESS OF THE PARTY OF THE	Standard (Max. 50 sheets One-path duplex scanning Type)			
Dimension (W x	****	ain Unit)			mm x 495mm	0.11=1		
Weight (Main Ur					x. 26kg			
Power Consumption Copy/Print Mode		py/Print Mode	345W 375W					
Standard	Accept the second	ind-by Mode	343W 373W					
configuration)	Energy Saver		1W					
telee	10 00000					zonodo daderas		
Noise ISO7779/ ISO92	0.00	py/Print Mode	48dB(A); Quiet	A CONTRACTOR AND A CONT	The state of the s	t mode: 44dB(A)		
.557773715092	Sta	ind-by Mode		30d	- 1 W			
				Copy Functio	ns (Standard)			
Copy Size				Max. A4 (Lega	al) – Min. A6R			
Resolution				600 x 6	500 dpi			
First Copy Time	(Mono/Col	lor)	10/12 s	econds	8/10	seconds		
Zoom Ratio	Manual	1		25% - 400% (	(1% per Step)			
Pre-defined		ned	7RSE					
Multiple Copy	"			1-	999			
Resolution			600 x 600 dpi; 1,200 x 1,200 dpi					
PDL			PRESCRIBE, PCL6 (PCL-XL, PCL 5c), KPDL3 (Postscript 3 compatible), XPS, PDF Direct Print Ver. 1.7					
First Print Out Time (Mono/Color)		/Color)	11/12.5	11/12.5 seconds 9.5/10.5 seconds				
Supported Protocol			TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, WSD Print, Apple Bonjour, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS					
Supported Proto					Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1;			
Supported Proto Operating Syster	m Supporte	ed	Windows Server 2	Windows XP, Windows Vista, Wine	dows 7, Windows 8, Windows 8.1;	s Server 2012 R2,		
1/2/2	m Supporte	ed	Windows Server 2.	Windows XP, Windows Vista, Wind Apple Macintosh OS		s Server 2012 R2,		
Operating Syster	m Supporte	ed	A A STATE OF THE S	Windows XP, Windows Vista, Windows Apple Macintosh OS USB 2.0 High Speedx1; Ethernet 10	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux	5946-1517-1517-1517-1517-1517-1517-1517-151		
Operating Syster		ed	A A STATE OF THE S	Windows XP, Windows Vista, Windows Apple Macintosh OS USB 2.0 High Speedx1; Ethernet 10	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-T/100BASE-TX/1000BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS	5946-1517-1517-1517-1517-1517-1517-1517-151		
Operating Syster	inting		A A STATE OF THE S	Windows XP, Windows Vista, Wind Apple Macintosh OS USB 2.0 High Speedx1; Ethernet 10 e (USB Host)x1, 802.11 b/g/n/Wireless LAT	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-T/100BASE-TX/1000BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard	5946-1517-1517-1517-1517-1517-1517-1517-151		
Operating Syster Interface USB Memory Pri USB Memory Pri	inting		A A STATE OF THE S	Windows XP, Windows Vista, Win Apple Macintosh OS USB 2.0 High Speedx1; Ethernet 1@ e (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-T/100BASE-TX/1000BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard	5946-1517-1517-1517-1517-1517-1517-1517-151		
Operating Syster Interface USB Memory Pri USB Memory Pri	inting		A A STATE OF THE S	Windows XP, Windows Vista, Win Apple Macintosh OS USB 2.0 High Speedx1; Ethernet 1@ e (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux OBASE-T/100BASE-TX/1000BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print	5946-1517-1517-1517-1517-1517-1517-1517-151		
Operating Syster Interface  USB Memory Pri USB Memory Pri Mobile Printing	inting		A A STATE OF THE S	Windows XP, Windows Vista, Windows VIsta, Windows VIsta, Windows VIsta, Windows VIsta, Stan Stan TIFF, JPEG AirPrint, Mopria, KY	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-TY/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard)	5946-1517-1517-1517-1517-1517-1517-1517-151		
Operating System Interface USB Memory Pri USB Memory Pri Mobile Printing Color Selection	inting		A A STATE OF THE S	Windows XP, Windows Vista, Windows VIsta, Windows VIsta, Windows VIsta, Windows VIsta, Wista 2.0 High SpeedX1; Ethernet Ide (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux OBASE-T/100BASE-TX/1000BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print	5946-1517-1517-1517-1517-1517-1517-1517-151		
Operating Syster Interface  JSB Memory Pri JSB Memory Pri Mobile Printing  Color Selection Resolution	inting		USB Host Interface	Windows XP, Windows Vista, Windows VIsta, Windows VIsta, Windows VIsta, Windows VIsta, Windows VIsta, 802.0 High SpeedX1; Ethernet Idle (USB Host)x1, 802.11 b/g/n/Wireless LAI Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200d	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-TY/100BASE-TX/1000BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns {Standard} ale; Black & White	M5526cdw only)		
Operating System Interface  USB Memory Pri USB Memory Pri Mobile Printing  Color Selection Resolution File Format	inting inting Forn		USB Host Interface	Windows XP, Windows Vista, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, 802.11 b/g/n/Wireless LAI  E (USB Host)x1, 802.11 b/g/n/Wireless LAI  Stan  TIFF, JPEG  AirPrint, Mopria, KY  Scan Function  Full Color; Graysca  600dpi, 400dpi, 300dpi, 2006  G, XPS, OpenXPS, PDF (MMR/JPG compress	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-T/100BASE-TX/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi	M5526cdw only)		
Departing System Interface  USB Memory Pri USB Memory Pri Mobile Printing  Color Selection Resolution File Format mage Type Moo	inting inting Form		USB Host Interface	Windows XP, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, San Club (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200d, 200d, 5, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Pho	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-T/100BASE-TX/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard j, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp	M5526cdw only)  sted PDF		
Departing System Interface  USB Memory Pri USB Memory Pri Mobile Printing  Color Selection Resolution File Format Finage Type Moc  Transmission Type	inting Form The state of the st		USB Host Interface	Windows XP, Windows Vista, Windows VIsta, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Stan Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200dpi, 300dpi, 200dpi, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Pho Scan to E-mail; Scan to FTP or FTP over SSL	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-TY.100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp sto, Light Text/Fine Line	M5526cdw only)  sted PDF		
Departing System Interface  JSB Memory Pri JSB Memory Pri Mobile Printing Color Selection Resolution File Format Finance Type Moc Transmission Type	inting Form The state of the st		USB Host Interface	Windows XP, Windows Vista, Windows VIsta, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Stan Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 2006, Cyn Syrys, PDF (MMR/JPG compress Text, Photo, Text + Pho Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address s	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-TY.100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp to, Light Text/Fine Line ; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list)	M5526cdw only)  sted PDF		
Departing Syster Interface  USB Memory Pri USB Memory Pri Mobile Printing  Color Selection Resolution File Format	inting Form The state of the st		USB Host Interface	Windows XP, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, San Club (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 300dpi, 300d	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-TY/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp to, Light Text/Fine Line ;; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) ss (Standard)	M5526cdw only)  ted PDF		
Departing System Interface  JSB Memory Pri JSB Memory Pri Mobile Printing Color Selection Resolution Gesolution Gesolution Gesolution Gesolution Gesolution Gesolution Gransmission Typ Address Storage Original Size	inting inting Form de de pe		USB Host Interface	Windows XP, Windows Vista, Windows VIsta, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Stan Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function  Full Color; Graysca 600dpi, 400dpi, 300dpi, 200d G, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Pho	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-TY/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp ito, Light Text/Fine Line ;; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) is (Standard) jai) – Min. A6	M5526cdw only)  ted PDF		
Departing System Interface  JSB Memory Pri JSB Memory Pri Mobile Printing Color Selection Resolution File Format Image Type Moo Transmission Typ Address Storage Original Size Coding Method	inting inting Form de de		USB Host Interface	Windows XP, Windows Vista, Windows VIsta, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Stan Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200dpi, 200dpi, 700dpi, 700dpi, 700dpi, 700dpi, 700dpi, 700dpi, 700dpi, 70dpi, 70d	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-TX/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp ito, Light Text/Fine Line ; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) is (Standard) jai) – Min. A6 i, MH, JBIG	M5526cdw only)  ted PDF		
Departing System Interface  USB Memory Pri USB Memory Pri Mobile Printing  Color Selection Resolution File Format mage Type Moc Fransmission Typ Address Storage  Original Size Coding Method Fransmission Spi	inting inting Form de de		USB Host Interface	Windows XP, Windows Vista, Windows VIsta, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Stan Stan TIFF, JPEG  AirPrint, Mopria, KY  Scan Function  Full Color; Graysca 600dpi, 400dpi, 300dpi, 200 G, XPS, OpenXPS, PDF (MMK/JPG compress Text, Photo, Text + Pho Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address I  Fax Function  Max. A4 (Leg MMR, MR 33.6	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 0BASE-TX/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns {Standard} ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp sto, Light Text/Fine Line ; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) ss (Standard) all - Min. A6 i, MH, JBIG kpbs	M5526cdw only)  ted PDF		
Departing System Interface  JSB Memory Pri JSB Memory Pri Mobile Printing  Color Selection Resolution File Format mage Type Moc Transmission Typ Address Storage  Original Size Coding Method Transmission Spi Memory	inting inting Form de de		USB Host Interface TIFF, JPEC Scan to SMB;	Windows XP, Windows Vista, Windows VIsta, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, San TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Grayscs 600dpi, 400dpi, 300dpi, 200d G, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Pho Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address I Fax Function Max. A4 (Lega MMR, MR 33.6	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-TY.100BASE-TX; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print DS (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp sto, Light Text/Fine Line ; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) US (Standard) jail) – Min. A6 i, MH, JBIG kpbs MB	M5526cdw only)  sted PDF  SD Scan, WIA		
Departing System Interface  JSB Memory Pri JSB Memory Pri Mobile Printing  Color Selection Resolution Resoluti	inting inting Form de de		USB Host Interface	Windows XP, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, San USB 2.0 High SpeedX1; Ethernet 1 (e) (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function  Full Color; Graysca 600dpi, 300dpi, 200dpi, 200dpi, 300dpi, 300dpi, 300dpi, 300dpi, 200dpi, 300dpi, 300	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-TY.100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp sto, Light Text/Fine Line ; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) ss (Standard) jai) – Min. A6 , MH, JBIG kpbs MB	M5526cdw only)  ted PDF		
Departing System Interface  JSB Memory Pri JSB Memory Pri Mobile Printing  Color Selection Resolution Resoluti	inting inting Form de de		USB Host Interface TIFF, JPEC Scan to SMB;	Windows XP, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, San USB 2.0 High SpeedX1; Ethernet 1 (e) (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200dpi, 300dpi, 200dpi, 300dpi, 300dpi, 200dpi, 50, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Pho Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address I 100 addresses (Common address I Max. A4 (Leg MMR, MR 33.6 3.5 mbers	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-TY.100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp sto, Light Text/Fine Line ;; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) us (Standard) jai) – Min. A6 , MH, JBIG kpbs MB 100 n es	M5526cdw only)  sted PDF  SD Scan, WIA		
Departing System Interface  JSB Memory Pri JSB Memory Pri Mobile Printing  Color Selection Resolution File Format mage Type Moc Transmission Typ Address Storage  Driginal Size Coding Method Transmission Spi Memory Dne Touch Dial Network FAX	inting inting Form de de		USB Host Interface TIFF, JPEC Scan to SMB;	Windows XP, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, San USB 2.0 High SpeedX1; Ethernet 1 (e) (USB Host)x1, 802.11 b/g/n/Wireless LAT Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200dpi, 300dpi, 200dpi, 300dpi, 300dpi, 200dpi, 50, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Pho Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address I 100 addresses (Common address I Max. A4 (Leg MMR, MR 33.6 3.5 mbers	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-TY.100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp sto, Light Text/Fine Line ; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) ss (Standard) jai) – Min. A6 , MH, JBIG kpbs MB	M5526cdw only)  sted PDF  SD Scan, WIA		
Operating Syster Interface  USB Memory Pri	inting Form	nat	USB Host Interface TIFF, JPEC Scan to SMB;	Windows XP, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Windows Vista, San Tiff, JPEG AirPrint, Mopria, KY  Scan Function Full Color; Grayscs 600dpi, 400dpi, 300dpi, 200d 5, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Pho Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address I  Fax Function Max. A4 (Leg MMR, MR 33.6 3.5 nbers  Ye  Consumable k (1,200 pages)	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-TY.100BASE-TX; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp sto, Light Text/Fine Line ; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) ss (Standard) gal) – Min. A6 , MH, JBIG kpbs MB 100 n es ss & Options TK-5264K : Bla	M5526cdw only)  sted PDF  SD Scan, WIA		
Departing System Interface  JSB Memory Pri JSB Memory Pri JSB Memory Pri Mobile Printing  Color Selection Resolution Reso	inting Form	mat	USB Host Interface TIFF, JPEC Scan to SMB; 1  22 nun  TK-5254K : Blac TK-5254C/M/Y : Cyan/Mag	Windows XP, Windows Vista, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Stan Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200d G, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Photo Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address I 100 addresses (Common	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux DBASE-TY/100BASE-TX/1000BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White dpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp to, Light Text/Fine Line ;; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) ns (Standard) gal) – Min. A6 , MH, JBIG kpbs MB 100 n es es & Options TK-5264K : Bla TK-5264C/M/Y : Cyan/Ma	M5526cdw only)  Inted PDF  SD Scan, WIA  Interpretation of the state o		
Departing System Interface  USB Memory Pri USB Memory Pri Mobile Printing  Color Selection Resolution File Format Image Type Moo Fransmission Typ Address Storage  Original Size Coding Method Fransmission Spi Memory Dne Touch Dial Network FAX  Toner Kit (Page Yield in ac	inting Form	mat	USB Host Interface TIFF, JPEC Scan to SMB; 3 22 nun	Windows XP, Windows Vista, Windows Vista, Windows XP, Windows Vista, Windows Vista, Windows Vista, Windows Vista, Stan Stan TIFF, JPEG AirPrint, Mopria, KY Scan Function Full Color; Graysca 600dpi, 400dpi, 300dpi, 200d G, XPS, OpenXPS, PDF (MMR/JPG compress Text, Photo, Text + Photo Scan to E-mail; Scan to FTP or FTP over SSL 100 addresses (Common address I 100 addresses (Common	dows 7, Windows 8, Windows 8.1; X 10.5 or later; Linux 08ASE-TY/100BASE-T; N/WiFi Direct (ECOSYS M5521cdw/ ECOSYS dard i, PDF, XPS OCERA Mobile Print ns (Standard) ale; Black & White ddpi, 200x400dpi, 200x100dpi sion/High-compression PDF), PDF/A, Encryp to, Light Text/Fine Line ;; Scan to DFS; Scan to USB; TWAIN Scan; W list), 20 groups (Group address list) ns (Standard) all — Min. A6 i, MH, JBIG kpbs MB 100 n es ses & Options TK-5264K : Bla TK-5264C/M/Y : Cyan/Mai	M5526cdw only)  sted PDF  SD Scan, WIA		









**Document Solutions** 

KYOCERA Document Solutions India Pvt. Ltd. Second Floor, Centrum Plaza, Sector-53, Golf Course Road, Gurgaon - 122 002 (Harvana). India

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA Business Partner



EDIFY PRINTECH INDIA LLP Sector-106, Dwarka Expressway, Gurgaon-122006 marketing@edifyin.com +919211437600/ +919650774529 www.edifyin.com