



Document Solutions

> PRINT > COPY > SCAN > FAX

ECOSYS M4125idn  
ECOSYS M4132idn  
ECOSYS M8124cidn  
ECOSYS M8130cidn

COLOR/MONOCHROME  
MULTIFUNCTION PRODUCT  
FOR A4/A3 FORMAT

NEW DESIGN  
NEW DEFINITION



ECOSYS M8130cidn/M4132idn



KYOCERA MyPanel

Mobile Print



Cloud Connect



- Breakthrough design for easy use, control and service.
- High image quality with 1,200 x 1,200 dpi print resolution.
- Fast first copy time (mono: 6.5 seconds; color: 8.3 seconds)\*.
- Excellent clarity 7-inch color touch panel display\*\*.
- Fast scanning up to 50/50 ipm A4 Mono/Color.
- Convenient wireless LAN interface\*\*\*.
- Support Air Print and Mopria certified.
- Long life drum and replacement parts provide efficiency and reliability.
- Compact design and low noise emission.

\*For ECOSYS M8130cidn

\*\* For ECOSYS M4132idn / ECOSYS M8130cidn only

\*\*\*Optional



# Born to be Extraordinary

## KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunctional Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

## Your Powerful Partner

Specially designed for small and medium-sized enterprise, workgroup or department, these MFPs offer superior functionality, top class reliability, bright color in a compact footprint.



\*For ECOSYS M8130ddn/ M4132ddn only



## First-Class Productivity


### Print/Copy

#### Vibrant Color

- With 1,200 x 1,200 dpi print resolution.
- Brighter color image by increasing the saturation of the intermediate density.

#### Dedicated ID Copy

Copy both sides of an identification card/credit card/driving license/name card etc into one side of a paper with "ID Card Copy" mode.



#### Cost-Saving with Combine Printing

Combine up to 25-in-1 originals in one single page.



#### Duplex Printing and Copying

**Saving up to 50% of paper!**

Significantly reduce space for document storage and make archiving easy.



#### Offset Sort for Multiple Copies

- Sorting becomes an easy task with offset outputting.



### Quick Warm-up Time and First Print Time



### Unique Salient Features

- Auto Color Selection function: Cost-saving for color document printing (only for ECOSYS M8124cidn/M8130cidn).
- Prevent Bleed-Through function: Provide superior background reduction when copying or scanning double-sized paper (e.g. newspaper, NCR Paper).



- Job Finish Notice function: Send email notification when a job is completed.



- Efficient Document Functions and Multi-tasking
  - Built-in Job Separator: Make the distribution of output document easy into different trays.
  - Streamlined Operation: Perform multi-tasking Print/Copy/Scan/Fax (Optional).





## Scan & Fax

### Scan



- **Skip Blank Page**  
Scan/copy to save unnecessary cost by skipping blank pages.



- **Store scanned data easily**  
By 'Scan to FTP', 'Scan to SMB', 'Scan to Email' and "Scan to USB".



- **Compress scanned images in different sizes with the advanced PDF compressor.**



Quality 1  
Normal Quality,  
Small File Size




Quality 5  
High Quality,  
Large File Size

|                    | No. of broadcast items    |
|--------------------|---------------------------|
| Email              | Up to 100                 |
| Folders (SMB, FTP) | Up to 5 Folders (SMB/FTP) |
| *FAX               | Up to 100                 |

\*Requires the optional fax kit.


### FTP/SMB/Email/Fax Multi-Sending

- Scan once and send document to different destinations (email addresses, folders, etc.).
- Store up to 200 addresses and 50 group addresses for scan destinations.
- LDAP query is also possible.



### Document Box

- Scan to/Print from USB Memory in PDF/TIFF/JPEG/XPS format.
- Files are processed directly from the control panel.
- No PC is required.



### Fax (Optional)

#### Fax Forwarding

- Simply forward any incoming fax to another fax machine or other destinations by email/SMB/FTP.




- Capable of processing A3-sized document.

#### Network Fax

#### Significantly reduce cost!

Send and receive faxes, even by overseas transmission, with the Super G3 Fax technology by PC.

\*Network connection required.



## Outstanding Features in Security


### Security Enhancement

- **Secure Socket Layer (SSL) Data Security Protocol**

Prevent eavesdropping and tampering by enhancing secure communication for remote configuration and data retrieval.

- **Security Watermark**

Distinguish originals from photocopies and provide protection for the sensitive document.



- **Card Authentication\* (Optional)**

Control access and manage with predefined user restrictions such as color output restrictions.



\*Optional card reader accessory is required.

- **Private Print (Standard)**

Retain the print job at the device and only process the print job by entering a preset password on the operation panel.

## Professional All-Rounder Meets Business Requirements


- Prevent paper wrinkling or image skewing with an internal paper stack adjuster in the paper cassette.
- Ensure superior image quality with a closed and therefore dust-free image scanning unit.
- Prevent paper curling and provide better fusing capability with the built-in dehumidifying heater.
- Design for quick and easy replacement of drum, developer unit and other maintenance parts without any special tools.




## Easy to Operate Panel with Intuitive Design

### Multi-function Control Panel

- Easy-to-use operation panel: Display large icons with an animated menu with a color touchscreen.
- Clear indication of job status and output status with Job Separator LED and Device status LED.





## Keep Work Running Seamlessly with KYOCERA Solutions

# HyPAS™

Hybrid Platform for Advanced Solutions



- Users: Improve productivity and efficiency by simplified and faster operations.
- The IT Department: Maintain document and imaging integrity and security.


## Empower Workforce with KYOCERA Mobile & Cloud Solutions

Powered by **HyPAS™**




### KYOCERA Mobile Print

- Print documents/webpages/image from virtually anywhere, on Apple/Android smartphone/tablet to designated KYOCERA MFPs and printers.
- Scan files and images from same MFPs to mobile devices.
- Support AirPrint for iPhone and iPad.



### KYOCERA MyPanel

- Use smartphone/tablet to connect a compatible networked KYOCERA printing device on local Wi-Fi network wirelessly.
- Perform COPY/PRINT/SCAN from Custom Box/ Cloud\*\*\* by mobile devices with personalizing settings.



\*\*\*Cloud Application Supported: Dropbox, Evernote, OneDrive

### KYOCERA Cloud Connect (Optional)

- Retrieve and print files in Google Drive/Evernote®, directly from any KYOCERA HyPAS-enabled MFPs.
- Upload scanned files to Google Drive/Evernote®, directly from the MFP (without using a computer).



### KYOCERA Fleet Services (Optional)

- Overview of all the devices status and receive notifications via the cloud.
- Preempt and plan for maintenance needs.



### Support WiFi Direct

- Require IB-36 Wireless LAN (Optional)
- Makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.



## Comfortably Handle Work-Group Needs

Personalization of settings, shortcut keys (Favorites) and language selection are available on user profiles.



### Network Authentication


Access and manage information through network authentication for Windows Server using Kerberos or NTLM.



### KYOCERA Net Viewer - a Single Solution for Device Management and Reporting for IT Administrator

Comprehensive, well-designed and user-friendly!

Access a wide range of functions (e.g. counter reading, status checking, device configuration, print accounting, alert configuration, etc.) from one administration point.



Convenient and time-saving!

The administrator can access the management functions on the network remotely from his PC.

- Collect meter count data easily.
- Understand print, copy, scan and fax volumes and costs.
- Optimize allocation of machines through analyzing the most commonly used data of print/copy volume, paper sizes.
- Grant permission and volume usage authorization to users.




### Web Based KYOCERA Command Center RX

Check the operating status of the machine, as well as change settings related to security, network printing, email and advanced networking, etc. by accessing built-in Command Center RX with a web browser.



### IPv6 Ready

Compatible with future network infrastructures as supporting IPv6.



## Save Our Earth

### Reduce Wastage:

- Long-life drum, developer and replacement parts

| Drum Life                             |                |
|---------------------------------------|----------------|
| ECOSYS M8124cidn and ECOSYS M8130cidn | 200,000 prints |
| ECOSYS M4125idn and ECOSYS M4132idn   | 300,000 prints |

KYOCERA aims at providing safe and comfortable products which have minimum environmental impact by acquiring various environmental labels.



Eco Mark (Japan)



EcoLeaf Environmental Label (Japan)



Law on Promoting Green Purchasing (Japan)

### Parts for Recycling

### Non-toxic materials

### Save Toner Consumption: Flexible EcoPrint Features

### Save Power Consumption

- Power consumption as low as **0.5 Watt** is achieved in sleep mode
- White LED illumination



| Main Specifications                                |                                                                                                                                                                                                   |                                                           |                              |                                                               |                              |
|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|------------------------------|---------------------------------------------------------------|------------------------------|
| Model                                              | ECOSYS M8124cidn                                                                                                                                                                                  |                                                           | ECOSYS M8130cidn             | ECOSYS M4125idn                                               | ECOSYS M4132idn              |
| Main Function                                      | Copy, Print, Scan, Fax (Optional)                                                                                                                                                                 |                                                           |                              |                                                               |                              |
| Writing Method                                     | Semiconductor Laser                                                                                                                                                                               |                                                           |                              |                                                               |                              |
| CPU                                                | ARM Cortex-A9 (Dual Core) 1.2GHz                                                                                                                                                                  |                                                           |                              |                                                               |                              |
| Print Speed (A4) (Mono/Color)                      | 24/24 ppm                                                                                                                                                                                         |                                                           | 30/30 ppm                    | 25/- ppm                                                      | 32/- ppm                     |
| Scanning Speed (A4) 300dpi                         | Simplex(Mono/Color)                                                                                                                                                                               |                                                           | 50/50 ipm                    |                                                               |                              |
|                                                    | Duplex(Mono/Color)                                                                                                                                                                                |                                                           | 16/16 ipm                    |                                                               |                              |
| Memory                                             | Standard 1.5GB (Max. 3GB)                                                                                                                                                                         |                                                           |                              | Standard 1GB (Max. 3GB)                                       |                              |
| SSD Capacity                                       | SSD 32GB (Optional) / SSD 128GB (Optional)                                                                                                                                                        |                                                           |                              |                                                               |                              |
| Warm Up Time                                       | 30 seconds or less                                                                                                                                                                                |                                                           |                              | 20 seconds or less                                            |                              |
| Paper Capacity                                     | Standard                                                                                                                                                                                          | 600 sheets [1 x 500 sheets (Cassette) + 100 sheets (MPT)] |                              |                                                               |                              |
|                                                    | Maximum                                                                                                                                                                                           | 1,600 sheets (Main Unit + 2 x 500 sheets PF-471 x1 + MPT) |                              |                                                               |                              |
| Paper Size                                         | Cassette                                                                                                                                                                                          | Min. A5R - Max. A3 (Ledger)                               |                              |                                                               |                              |
|                                                    | MPT                                                                                                                                                                                               | Min. A6R - Max. A3 (Ledger)                               |                              |                                                               |                              |
| Paper Weight                                       | Cassette                                                                                                                                                                                          | 60 - 256 g/m <sup>2</sup>                                 |                              |                                                               | 60 - 163 g/m <sup>2</sup>    |
|                                                    | MPT                                                                                                                                                                                               | 60 - 256 g/m <sup>2</sup>                                 |                              |                                                               | 45 - 256 g/m <sup>2</sup>    |
| Duplex Printing                                    | Paper size: A5R – A3; Paper weight: 60 - 220 g/m <sup>2</sup>                                                                                                                                     |                                                           |                              | Paper size: A5R – A3; Paper weight: 60 - 163 g/m <sup>2</sup> |                              |
| Output Capacity                                    | Max. 250 sheets + 30 sheets with standard Job Separator                                                                                                                                           |                                                           |                              | Max. 250 sheets + 50 sheets with standard Job Separator       |                              |
| Control Panel                                      | 4.3-inch Color Touch LCD Panel                                                                                                                                                                    |                                                           | 7-inch Color Touch LCD Panel | 4.3-inch Color Touch LCD Panel                                | 7-inch Color Touch LCD Panel |
| Document Processor                                 | Standard (Max. 50 sheets RADF Type)                                                                                                                                                               |                                                           |                              |                                                               |                              |
| Dimension (W x D x H) (Main Unit)                  | 590mm x 590mm x 753mm (with DP)                                                                                                                                                                   |                                                           |                              | 590mm x 590mm x 688mm (with DP)                               |                              |
| Weight (Main Unit)                                 | Approx. 76 kg                                                                                                                                                                                     |                                                           | Approx. 79 kg                | Approx. 72 kg                                                 | Approx. 74 kg                |
| Power Consumption (Standard configuration)         | Copy/Print Mode                                                                                                                                                                                   | 510W                                                      |                              | 580W                                                          | 390W                         |
|                                                    | Stand-by Mode                                                                                                                                                                                     | 80W                                                       |                              |                                                               | 55W                          |
|                                                    | Energy Saver                                                                                                                                                                                      | 0.5W                                                      |                              |                                                               |                              |
| Noise (ISO7779/ ISO9296)                           | Copy/Print Mode                                                                                                                                                                                   | 53dB(A)                                                   |                              | 54dB(A)                                                       | 49dB(A)                      |
|                                                    | Stand-by Mode                                                                                                                                                                                     | 34dB(A)                                                   |                              |                                                               |                              |
| Copy Functions (Standard)                          |                                                                                                                                                                                                   |                                                           |                              |                                                               |                              |
| Copy Size                                          | Max. A3 (Ledger) – Min. A6R                                                                                                                                                                       |                                                           |                              |                                                               |                              |
| Resolution                                         | 600 x 600 dpi                                                                                                                                                                                     |                                                           |                              |                                                               |                              |
| First Copy Time (Mono/Color)                       | 7.6/ 9.8 seconds                                                                                                                                                                                  |                                                           | 6.5/ 8.3 seconds             | 5.8/ - seconds                                                | 5.2/ - seconds               |
| Zoom Ratio                                         | Manual                                                                                                                                                                                            | 25% - 400% (1% per Step)                                  |                              |                                                               |                              |
|                                                    | Pre-defined                                                                                                                                                                                       | 5R5E                                                      |                              |                                                               |                              |
| Multiple Copy                                      | 1 – 999                                                                                                                                                                                           |                                                           |                              |                                                               |                              |
| Print Functions (Standard)                         |                                                                                                                                                                                                   |                                                           |                              |                                                               |                              |
| Resolution                                         | 600 x 600 dpi; 1,200 x 1,200 dpi                                                                                                                                                                  |                                                           |                              |                                                               |                              |
| PDL                                                | PRESCRIBE, PCL6, KPDLL3 (Postscript 3 compatible), XPS, PDF Direct Print Ver. 1.7                                                                                                                 |                                                           |                              |                                                               |                              |
| First Print Out Time (Mono/Color)                  | 7.5/ 10.2 seconds                                                                                                                                                                                 |                                                           | 6.5/ 8.3 seconds             | 5.8/ - seconds                                                | 5.2/ - seconds               |
| Network Printing                                   | TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, IPP over SSL, WSD Print, Apple Bonjour                                                                                                                 |                                                           |                              |                                                               |                              |
| Operating System Supported                         | Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Apple Macintosh OS X 10.5 or later; Linux |                                                           |                              |                                                               |                              |
| Interface                                          | USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x2; NFC TAGx1; 802.11 b/g/n/Wireless LAN/WiFi Direct (Optional)                                       |                                                           |                              |                                                               |                              |
| USB Memory Printing Format                         | TIFF, JPEG, PDF, XPS, Open XPS                                                                                                                                                                    |                                                           |                              |                                                               |                              |
| Mobile Printing                                    | AirPrint, Mopria, KYOCERA Mobile Print                                                                                                                                                            |                                                           |                              |                                                               |                              |
| Scan Functions (Standard)                          |                                                                                                                                                                                                   |                                                           |                              |                                                               |                              |
| Color Selection                                    | Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White                                                                                                             |                                                           |                              |                                                               |                              |
| Resolution                                         | 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi                                                                                                                                            |                                                           |                              |                                                               |                              |
| File Format                                        | TIFF, JPEG, XPS, OpenXPS, PDF (High-compression PDF)                                                                                                                                              |                                                           |                              |                                                               |                              |
| Image Type Mode                                    | Text, Photo, Text + Photo, Light Text (Fine Line)                                                                                                                                                 |                                                           |                              |                                                               |                              |
| Transmission Type                                  | Scan to SMB; Scan to E-mail (SMTP, SMTP over SSL); Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan; WIA Scan                                                                       |                                                           |                              |                                                               |                              |
| Address Storage                                    | 200 addresses (Common address list), 50 groups (Group address list)                                                                                                                               |                                                           |                              |                                                               |                              |
| Fax Functions (Optional)                           |                                                                                                                                                                                                   |                                                           |                              |                                                               |                              |
| Original Size                                      | Max. A3 (Ledger) - Min. A5 (Statement)                                                                                                                                                            |                                                           |                              |                                                               |                              |
| Coding Method                                      | MMR, MR, MH, JBIG                                                                                                                                                                                 |                                                           |                              |                                                               |                              |
| Transmission Speed                                 | 33.6 kbps                                                                                                                                                                                         |                                                           |                              |                                                               |                              |
| Memory                                             | 12MB                                                                                                                                                                                              |                                                           |                              |                                                               |                              |
| Network FAX                                        | Yes                                                                                                                                                                                               |                                                           |                              |                                                               |                              |
| Consumables & Options                              |                                                                                                                                                                                                   |                                                           |                              |                                                               |                              |
| Toner Kit                                          | TK-8110 (C/M/Y/K)                                                                                                                                                                                 |                                                           |                              | TK-6110                                                       |                              |
| Maintenance Kit                                    | MK-8115 (A/B); DP: MK-6110                                                                                                                                                                        |                                                           |                              | MK-6119; DP: MK-6110                                          |                              |
| Paper Feeder                                       | PF-470: 500 sheets x1; PF-471: 500 sheets x2                                                                                                                                                      |                                                           |                              |                                                               |                              |
| Finisher (ECOSYS M8130cidn / ECOSYS M4132idn only) | DF-470: 500 sheets Hanger Type Finisher; AK-470: Attachment Kit for DF-470                                                                                                                        |                                                           |                              |                                                               |                              |
| Fax System                                         | Fax System 13                                                                                                                                                                                     |                                                           |                              |                                                               |                              |
| Storage Device                                     | HD-6: SSD 32GB; HD-7: SSD 128GB                                                                                                                                                                   |                                                           |                              |                                                               |                              |
| Data Security                                      | Data Security Kit(E)                                                                                                                                                                              |                                                           |                              |                                                               |                              |
| Card Authentication                                | Card Authentication Kit(B)                                                                                                                                                                        |                                                           |                              |                                                               |                              |
| Gigabit Ethernet Board                             | IB-50: For Additional Network                                                                                                                                                                     |                                                           |                              |                                                               |                              |
| Wireless LAN Interface                             | IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)                                                                                                                                                     |                                                           |                              |                                                               |                              |



## Document Solutions

KYOCERA Document Solutions India Pvt. Ltd.  
Second Floor, Centrum Plaza, Golf Course Road,  
Sector- 53, Gurgaon, Haryana 122 002, India  
Phone : +91 124 4671000, Fax : +91 124 4671001  
Toll Free: + 1800 103 7172  
Email: [contactus@did.kyocera.com](mailto:contactus@did.kyocera.com)  
<http://www.kyoceradocumentalsolutions.co.in>

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

### KYOCERA Business Partner



EDIFY PRINTECH INDIA LLP  
Sector-106, Dwarka Expressway, Gurgaon-122006  
[marketing@edifyin.com](mailto:marketing@edifyin.com)  
+919211437600 / +919650774529  
[www.edifyin.com](http://www.edifyin.com)