TASKalfa 7003i/8003i/9003i TASKalfa 7353ci/8353ci

Color/Monochrome Multifunction Product for A4/A3 Format



Enforce Multifunctional Power and Mobility Office













Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
 Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.





Designed with wide screen touch panel and simple operation, these multi-faceted devices offer impressive speed, large output capacity and bring high quality color print for business. They are ideal for handling day-to-day document and streaming workflow with sophisticated KYOCERA business applications.

Superior Technology



^{*}Optional DF-7110 or DF-7130 is requred

^{**}Optional DF-7110 & BF-730 or DF-7130 & BF-9100 are requred


Superior Performance in COPY/PRINT/SCAN/FAX

Test Copy: Reduce miscopy when copying large volume by using the Test Copy mode.

Duplex Preview: Display both front and back sides before printing (Copy/Box Print function).


Skip Blank Page: Blank page is skipped during making scans/copies to save unnecessary cost.

Dedicated Preset Copy/Send Mode for Special Original Media: Newspaper Copy, Technical Drawing Copy, ID Copy, Highlightercopy and send Copy (reproduce fluorescent colors clearly) .able to select "2 levels" for highlighter.



Erase Colors: Able to select up to 6 colors and adjust "5 levels" at copy and send mode.

Ex. When you want to copy and share the meeting marterials to your team leader with not neat notes writing by bule/black/red pan, you can try to use this mode.



Prevent Bleed-thru: Remove unwanted background when copying or scanning printed double-sized thin paper (e.g. newspaper, NCR paper, and magazine).


Carbon Copy: Print an additional copy or copies of a document from a different media source or using a different media type.

Banner Send & Print: Scan and produce banner with various paper weight in-house anytime in need (One-sided only).



Cluster Printing: Enhance productivity by executing one print job via 2 to 4 designated KYOCERA devices with optional KYOCERA Business Application.


Customize Scan Split: Scan by split at specified page and allow send all scan files via one email or send files separately by emails.



USB Scan to/Direct Print: Scan to or print directly from USB Memory in PDF, PDF/A, TIFF, JPEG or XPS format.

Scanned Image File Size Check: Check the actual scanned document size does not exceed limit before actual sending to e-mail.

FTP/SMB/Email/Fax Multi-Sending: Send document to different destinations (email addresses, folders, etc.) in a single scan operation.



Simple Fax Forwarding: Forward any incoming fax to other destinations by Email, SMB or FTP (Optional)

i-FAX Sending (Optional): Send and receive i-FAX without the mail service by installing Direct SMTP function.

Job Skip: Automatically prioritize the error print job to avoid machine come to a halt in case of

- 1. Paper empty in specific tray
- 2. Mismatched paper size
- 3. Mismatched media type

Job Finish Notice: Send email notification to specified user when a copy/scan job is completed.







Maximize Efficiency



Intuitive 10.1 Inch Color Touch Panel with Easy Navigation

Excellent clarity 10.1 inch color touch panel display with swivel type operability similar to smart phone. Easy to notice FAX reception because green LED is for Job Separator only.

Convenience to use Keypad

With on-screen virtual numeric keypad and optional hardware keypad, users can type in with ease.

Customizable Home Screen

All commonly used functions and applications are set as default on Home Screen. The Home Screen can be customized easily to meet different use (or Group User) needs for immediate access to commonly used functions.

Printer Driver's Quick Print Tab

Create and save frequently used custom profiles as graphic icons to allow programming of complex jobs in one click.

Custom Box

Ease-of-use Custom Box provides long term job storage at device, allowing users to securely print and store jobs on the device and output them when required.

Superior Quality

Powerful color performance*

o Vibrant color* with 1,200 x 1,200 dpi print resolution

o Multiple Image Adjustment Tools for output that matches your needs:

Color Optimizer at KYOCERA KX Driver*

Allow users to adjust the pixels near the color value or color space of defined areas instead of the entire image by selecting 2 from 3 parameters (Hue, Light, Saturation) and add up to 10 colors in each adjustment settings.

One-Touch Color Image Adjustment*

Total 9 photo adjustment modes to select optimal settings for photo image (Portrait; Blue Scenery; Green Scenery; Vivid; Soft; Sharp; Smooth; Light; Heavy).

Print Gray with Black Toner*

Improve text recognition and decreases color shadowing to reproduce accurate grayscale image.



Transform Business with KYOCERA Solutions

KYOCERA Capture Manager

A powerful document capturing software product that streamlines business workflow by digitizing documents. It enables to capture the documents from virtually any source – from an MFP, network scanner, Web browser, Email, hot-folder and smartphone. Once documents are captured, and it goes through image processing, and those processed documents can be converted into a variety of formats, such as text searchable PDFs or Office format, and finally distribute to different business systems (Email, Folder, Cloud, DMS/ECM, ERP).

KYOCERA Mobile Print

An app-based solution that enables users to simply and conveniently print documents, web pages, and images on demand from virtually anywhere, on their Apple and Android smartphone and tablet devices to select KYOCERA MFPs and printers. Users can also scan files and images from same MFPs to their mobile devices. Our devices also support AirPrint for iPhone and iPad.

KYOCERA MyPanel

Use smartphone or tablet to connect a compatible networked KYOCERA printing device on your local Wi-Fi network wirelessly. Users can perform COPY/PRINT/SCAN from Custom Box or Cloud** by mobile devices with personalize settings.

KYOCERA Cloud Connect (Optional)

Retrieve and print files in Google Drive and Evernote®, a cloud service provider, directly from any KYOCERA HyPAS-enabled MFPs. Users can even upload scanned files directly to Google Drive and Evernote® – directly from the MFP, without going through a computer.


Support WiFi Direct

Support IB-35 Wireless LAN (Optional), makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/ KYOCERA MyPanel much easier.

NFC (Near Field Communication)

Built in at Control Panel to connect with Android devices.











Control with Ease

Password Protection Setting: Allow administrator to set Password Policy to limit user access to designated capacity.

Private Print: Release print job at the device by entering a preset four-digit access code when making a print at KYOCERA KX Driver.

With the aid of **Network Authentication**, IT Department can manage user authentication easily by incorporating with centralized Authentication Server (NTLM, Kerberos, KYOCERA Net Manager*).

Security Watermark: Distinguish original from copies and provides protection for sensitive document against duplication.

KYOCERA Data Security Kit: Encrypt data before storing in the hard drive and automatically overwrite all data stored in the hard drive when the data becomes unnecessary.



TPM (Trusted Platform Module): TPM is a hardware chip that encrypts and decrypts data. Data stored in a dedicated storage area mounted on the TPM chip can never be accessed from an external device, so confidential information can be safely stored.





FAX Memory Overwrite (Optional): Erase FAX memory after sending or receiving for confidentiality.

Card Authentication Kit (Optional): Prevent unauthorized data access to device, manage and control usage with IC Card Authentication.

M-Files (Optional): Manage all information e.g. documents, projects and business processes etc and adds intelligence by combining it with information from other systems (like SharePoint, Salesforces and SAP). This ensures you always find what you need, no matter what system you are using.





Eco-Conscious

Design for energy savings

Fast warm up: With the new IH fuser, the warm up time is shorter and power consumption is less.

Weekly Timer: Allow administrator to preset the machine on and off time to maximize power savings.

EcoPrint: Flexible EcoPrint setting to consume less energy and toner.

Energy Saver: 0.7W or less power consumption at Energy Saver Mode.







Eco Mark (Japan)

EcoLeaf Environmental Label (Japan)

Law on Promoting Green Purchasing (Japan)

KYOCERA Document Solutions has been actively promoting the acquisition of various environment labels, aiming to provide products that are safe and comfortable for our customers to use and have minimal environmental impact.

Protect the environment

- · Leading Long-life KYOCERA proprietary Amorphous Silicon (a-Si) Drum, developer and replacement parts.
- · Parts for Recycling.
- · Non-toxic Materials.
- Quiet operation design for a comfortable Working Environment.

Instant Monitoring

Smart utilities for managed print and minimize related device management costs.

KYOCERA Command Center RX:

By using a web brower, the authorized administrator can access the built-in KYOCERA Command Center RX and check the operation status of the device, toner level, paper availability, as well as change settings related to security, network printing and advanced network setting etc.

KYOCERA Net Viewer:

A comprehensive network management tool used to monitor, maintain, and update up to 100 network printing devices locally and remotely. Through KYOCERA Net Viewer, administrators can simply install and update firmware on all KYOCERA connected devices while easily monitoring printed black/color pages, device configuration, accounting, toner usage, and alerts. By implementing KYOCERA Net Viewer, the manpower required to monitor connected devices is greatly reduced.

KYOCERA Net Manager (Optional):

Protect confidential data, manage & control the overall output (copy/print/scan) and get detailed reports. Users can keep an overview of personal printing jobs with web browser. It greatly simplifies scanning processes as it automatically displays a set of personalized options.

By adding the Card Authetication Kit (Optional) for KYOCERA Net Manager, you are able to swipe ID Card to get print document directly. User administrator can also set the IC Cards to allow quick and secure access with pre-defined user restrictions such as color output restrictions and output quota.







				Main Specifications		
Model		TASKalfa 7003i	TASKalfa 8003i	TASKalfa 9003i	TASKalfa 7353ci	TASKalfa 8353ci
Main Function		Copy, Print, Scan, Fax (Optional)				
Writing Method		Semiconductor Laser				
CPU		QorlQ T1024 (Dual Core) 1.4GHz QorlQ T1024 (Dual Core) 1			Dual Core) 1.2GHz	
Print Speed (A4) (Mono/Color)		70/ - ppm				83/70 ppm
Scanning Speed (A4) 300dpi Simplex				120/120 ipm		
(Mono/Color) Duplex		220/220 ipm Standard 4.5GB (Max. 4.5GB)				
Memory SSD/HDD Capacity		SSD 8GB (Standard) / HDD 320GB (Standard)				
Warm Up Time		30 seconds or less 44 seconds or less				
	Standard	4,150 sheets [2 x 500 sheets (Cassette) + 2 x 1,500 sheets (Cassette) + 150 sheets (MPT)]				
	Maximum	7,650 sheets (Main Unit + 2 x 1,500 sheets PF-740(B) x1 + 500 sheets PF-7130 x 1 +MPT)				
	Cassette	Max. 12" x 18" (304mm x 457mm) - Min. A5R				
	MPT		Max. 12" x 18" (304)	mm x 457mm) & Banner Print of 1,2	19.2mm - Min. A6R	
Paper Weight Cassette MPT		60 to 256 g/m² 60 to 300 g/m²				
Document Processor		Standard / Dual Scan / 270 Sheets				
Duplex Printing		Paper size: 12" x 18" (304mm x 457mm) - A5R; Paper weight: 60 - 256 g/m ²				
Output Capacity		Max. 420 sheets				
Control Panel		10.1 inch Color Touch LCD Panel				
Dimension (W x D x H) (Main Unit)		750mm x 822mm x 1,234mm (with DP)				
Weight (Main Unit			Approx. 150 kg			ox. 182 kg
Power Consumption	1.77	1,110W	1,170W	1,340W	1,330W	1,360W
(Standard configuration)	Stand-by Mode		100W		1:	20W
	Energy Saver			0.7W		
Noise Copy/Print Mode		75dB(A)				
(ISO7779/ ISO9296) Stand-by Mode		58dB(A)				
		Copy Functions (Standard)				
Copy Size				Max. A3 (Legal) – Min. A6R		
Resolution	. (0.1.)		27/	600 x 600 dpi	5.4/5.0	10/50
First Copy Time (N	iono/Color)	4.2/ - seconds	3.7/ - seconds	3.6/ - seconds	5.4/6.2 seconds	4.8/5.9 seconds
Zoom Ratio Multiple Copy		25% to 400% (1% per Step) 1 to 9999				
viditiple copy				Print Functions (Standard)		
Resolution		1200 x 1200 dpi, 4,800 Equivalent x 1200 dpi				
PDL		PRESCRIBE, PCL6 (PCL-XL, PCL5e), KPDL3 (Postscript 3 compatible), PRESCRIBE, PCL6 (PCL-XL, PCL5c), KPDL3 (Postscript 3 compatible),				
r DE		XPS, Open XPS, PDF Direct Print, PPML				OF Direct Print, PPML
First Print Out Time (Mono/Color)		4.8/ - seconds 4.1/ - seconds 5.3/6.3 - seconds 4.9/6.1 - seconds				
Network Printing		TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print				
Operating System	Supported	Windows: 7/8.1/10, Server:2008/2008 R2/2012/2012 R2/2016; Apple Macintosh: OS X 10.9 or later; Linux				
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x4;				
USB Memory Printing		NFC TAGx1; Expansion Slotx2; 802.11 b/g/n/Wireless LAN/WiFi Direct (Optional) Supported				
Mobile Printing		Supported AirPrint, Mopria, KYOCERA Mobile Print, NFC				
Woone Finding						
		Scan Functions (Standard) Auto Color (Color/Grav): Auto Color (Color/R&W): Full Color: Gravscale: Black & White				
Color Selection		Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White				
Resolution File Format		600dpi, 400dpi, 300dpi, 200x100dpi, 200x400dpi TIFF, JPEG, XPS, Open XPS, PDF (MMR/JPG compression/High-compression PDF), Searchable PDF, MS Office File				
File Format						
Image Type Mode		Text, Photo, Text + Photo, Text (Fine Line), OCR				
Transmission Type		Scan to SMB; Scan to E-mail ; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan				
Address Storage		2000 addresses (Common address list), 500 groups (Group address list)				
		Fax Functions				
Original Size		Max. A3 (Ledger) - Min. A6 (Statement) / Scanning length: max. 1,600mm				
Coding Method		MMR, MR, MH, JBIG				
Transmission Speed / Modem Speed		Less than 3 seconds / 33.6 Kbps 170MB				
Memory Fax Functions		Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception,				
T dx T UTICUOTIS		Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast, Fax Server Integration, Fax Dedicated Paper Feed tray				
				Consumables & Option		
Toner Kit						
		TK-6720: 70,000 pages			TK-8730 K : 85,000 pages; TK-8730 C/M/Y : 40,000 pages	
Maintenance Kit		MK-6725 G : 600,000 pages			MK-8720 A : 600,000 pages; MK-8720 B : 600,000 pages	
Paper Feeder		PF-730(B): 500 sheets x2; PF-740(B): 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets Large capacity side deck (A4/Letter);				
Finisher		PF-7130: 500 sheets Multimedia Tray and Paper Pass Unit				
		DF-7110: 4,000 sheets Finisher with 50 sheets Staple; DF-7130: 4,000 sheets Finisher with 100 sheets Staple; PH-7C: Punch Unit; MT-730(B): 7 Bin Mailbox; BF-730: Booklet Folder for DF-7110;				
		BF-9100: Booklet Folder for DF-7130; SH-10: Staple for BF-730/BF-9100; SH-12: Staple for DF-7110; SH-14: Staple for DF-7130				
FAX System		FAX System 12				
Internet FAX		Internet FAX Kit (A)				
Card Authentication		Card Authentication Kit(B)				
Gigabit Ethernet Board		IB-50: For Additional Network				
Wireless LAN Interface		IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct)				
Banner Paper Tray		Banner Guide (A)				
Numeric Key Pad		NK-7120 Copy Tray (D)				
Copy Tray Original Hard Copy Holder						
T. B. Har Hard Copy Holder		DT-730 (B)				

KYOCERA Document Solutions India Pvt. Ltd.

Second Floor, Centrum Plaza, Sector-53, Golf Course Road, Gurgaon – 122002 (Haryana), India



KYOCERA Business Partner

EDIFY PRINTECH INDIA LLP Sector-106,Dwarka Expressway, Gurgaon-122006 marketing@edifyin.com +919211437600/+919650774529 www.edifyin.com

